TRANS TECH CONSULTANTS
Environmental Compliance Services
Engineers • Geologists • Planners
License # 697833 (A-Haz)
Since 1987

January 7, 2005
Job No. 1514.01

Mr. Charles Gardner
1170 Limerick Lane
Healdsburg, California

Subject: **4th Quarter 2004 Monitoring Report**
1170 Limerick Lane, Healdsburg, California
SCDHS-DEH Site #00001684

Dear Mr. Gardner:

This report presents the results of the 4th Quarter 2004 groundwater monitoring event performed at the subject site. The site is approximately located as shown on the attached Site Location Map, Plate 1. The work was performed in general accordance with recommendations outlined in our July 27, 2004 Results of Investigation / Monitoring Well Installation Report and requests by Sonoma County Department of Health Services - Environmental Health Division (SCDHS-EHD) representatives.

Monitoring Well Sampling

On December 3, 2004, groundwater samples were collected from monitoring wells (wells) MW-1, through MW-3. The approximate location of the wells and general site features are shown on the attached Site Plan/Groundwater Elevation Contour Map, Plate 2. Prior to sampling, static water levels were measured in all wells and each well was checked for the presence of free product using an oil/water interface probe. No free product was reported during this monitoring event. To produce representative groundwater samples prior to sampling, the wells were purged of approximately three well casing volumes using a submersible pump. In addition, indicator parameters such as the temperature, pH, and conductivity were measured during purging. The water level in each well was allowed to recover to near static levels prior to sampling. Groundwater samples were collected using a separate disposable bailer for each well and transferred into the appropriate containers supplied by the laboratory. The groundwater samples were labeled, stored on ice and transported under Chain-of-Custody documentation to Alpha Analytical Laboratories, Inc. (Alpha) of Ukiah, California. Alpha is a State-certified laboratory for the analyses requested. Purge water generated during the sampling of the wells was stored onsite in 55-gallon Department of Transportation (DOT) approved drums, pending disposal. The Groundwater Field Sampling Forms are attached in Appendix A.

Water Level Measurements

The relative monitoring well top-of-casing (TOC) elevations, depths to groundwater, calculated groundwater elevations, and the calculated groundwater flow directions and gradients for the June 25, September 27 and, December 3, 2004 sampling events are tabulated in Table 1. Depths and elevations are expressed in and gradients are expressed in feet per foot.

Table 1: Groundwater Flow Direction and Gradient Data

Date	Monitoring Well ID	TOC Elevation (feet)	Depth to Groundwater (feet)	Water Level Elevation (feet)	Groundwater Flow Direction & Gradient (i)
06/25/04	MW-1	222.40	20.58	201.80	S40°E i = 0.08
	MW-2	222.31	22.51	199.80	
	MW-3	222.90	24.20	199.70	
09/27/04	MW-1	222.40	22.40	200.00	S38°E i = 0.04
	MW-2	222.31	23.32	198.99	
	MW-3	222.90	25.00	198.90	
12/03/04	MW-1	222.40	22.72	199.68	S70°E i = 0.08
	MW-2	222.31	23.70	198.61	
	MW-3	222.90	25.37	197.53	

Groundwater elevation contours based on MW-1 through MW-3 for the December 3, 2004 monitoring event are attached on Plate 2.

Laboratory Analysis

Groundwater samples collected from the monitoring wells were analyzed for total petroleum hydrocarbons (TPH) as diesel and motor oil by EPA Test Method (EPA)8015. In addition, the samples were analyzed for total oil and grease (TOG) by EPA 1664. The laboratory analytical results for the June 25, September 27, and December 3,2004 sampling events are tabulated on page 3, Table 2. The Alpha laboratory report dated December 20, 2004, including the chain-of-custody documentation, is attached in Appendix B.

Table 2: Groundwater Analytical Results

Date	Sample ID	TPH-g	TPH-d	TPH-mo	TOG	PCB's	B	T	E	X	MtBE
		µg/L									
06/25/04*	MW-1	<50	<50	<200	NA	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0
	MW-2	<50	<50	<200	NA	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0
	MW-3	<50	<50	<200	NA	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0
09/27/04	MW-1	NA	<50	<100	NA	NA	NA	NA	NA	NA	NA
	MW-2	NA	<50	<100	NA	NA	NA	NA	NA	NA	NA
	MW-3	NA	<50	<100	NA	NA	NA	NA	NA	NA	NA
12/03/04	MW-1	NA	<50	<100	<5.0	NA	NA	NA	NA	NA	NA
	MW-2	NA	<50	<100	<5.0	NA	NA	NA	NA	NA	NA
	MW-3	NA	<50	<100	<5.0	NA	NA	NA	NA	NA	NA

NA = not analyzed.
< = less than the reported laboratory detection limits.
* = analytical results for CAM 5 Metals were below laboratory detection limits.

Discussion

Consistent with the previous sampling events, TPH as diesel and TPH as motor oil were not detected at or above the reported laboratory detection limits in the samples collected from the wells. Analytical results for total oil and grease were also below the reported laboratory detection limits.

The next sampling event, scheduled for March 2005, will represent the fourth consecutive quarter and one complete hydrogeologic cycle. As previously discussed with SCDHS-EHD representatives, samples collected during the high groundwater period (March-June) will be analyzed for TPH as gasoline, TPH as diesel and motor oil, total oil and grease (TOG), the volatile organic compounds: benzene, toluene, ethylbenzene, and total xylenes (BTEX), the additional oxygenated fuel additives including methyl tert-butyl ether (MtBE) , lead scavengers, poly chlorinated biphinols (PCB's), and the CAM 5 metals.

We appreciate the opportunity to be of service to you and trust that this provides the information you require at this time. If you have any questions or require any additional information, please feel free to contact us at (707) 575-8622 or www.transtechconsultants.com.

Sincerely,
TRANS TECH CONSULTANTS

Brian R. Hasik
Staff Geologist

Lee S. Hurvitz, RG 7573
Senior Geologist

QMR_1514_01_010705

Attachments: Plate 1, Site Location Map
Plate 2, Site Plan / Groundwater Elevation Contour Map
Appendix A, Groundwater Field Sampling Forms
Appendix B, Alpha Analytical Laboratory Report dated December 20, 2004
Distribution List



TRANS TECH CONSULTANTS
930 SHILOH RD., BLDG 44, SUITE J
WINDSOR, CA 95492
PHONE: 707-575-8622 FAX: 707-837-7334

SITE LOCATION MAP

GARDNER
1170 LIMERICK LANE
HEALDSBURG, CALIFORNIA

PLATE: 1

DRAWN BY:	DWG NAME:	APPR. BY:	JOB NUMBER:	W.O. NUMBER:	REVISIONS:	DATE:
PSC	1514.01. SLM	LSH	1514.01	A-224		2/10/04



TRANS TECH CONSULTANTS
930 SHILOH RD., BLDG 44, SUITE J
WINDSOR, CA 95492
PHONE: 707-575-8622 FAX: 707-837-7334

SITE PLAN/GROUNDWATER ELEVATION CONTOUR MAP FOR 12/3/04

GARDNER
1170 LIMERICK LANE
HEALDSBURG, CALIFORNIA

PLATE: 2

DRAWN BY:	DWG NAME:	APPR. BY:	JOB NUMBER:	W.O. NUMBER:	REVISIONS:	DATE:
JLP	1514.01 GWFP	LSH	1514.01	A-522		12/6/04

SHEET: 1/2

GROUNDWATER FLOW LEGEND

Estimated Groundwater Flow Direction → (A)

Gradient Contour (Interval = 0.5 ft) – – – – –

Identifier Tag	Date	Est. Flow Direction	Gradient Slope
(A)	06/25/04	S40°E	i = 0.08
(B)	9/27/04	S38°E	i = 0.04
(C)	12/3/04	S70°E	i = 0.08

Identifier Tag	Date	Est. Flow Direction	Gradient Slope

MW–1 Monitoring Well Location
[XX.XX] Groundwater Elevation

NOTE: Ground water elevations are in feet above mean sea level (National Geodetic Vertical Datum, 1929).

TRANS TECH CONSULTANTS
930 SHILOH RD., BLDG 44, SUITE J
WINDSOR, CA 95492
PHONE: 707–575–8622 FAX: 707–837–7334

SITE PLAN/GROUNDWATER ELEVATION CONTOUR MAP FOR 12–3–04

GARDNER
1170 LIMERICK LANE
HEALDSBURG, CALIFORNIA

PLATE: 2

DRAWN BY:	DWG NAME:	APPR. BY:	JOB NUMBER:	W.O. NUMBER:	REVISIONS:	DATE:
PSC	1514.01 GWFP	LSH	1514.01	A–522		12/6/04

SHEET: 2/2

APPENDIX A

1514.01
12-3-04

GROUNDWATER FIELD SAMPLING FORM

WELL INFORMATION

Project Number/Name:	1514.01 Gardner		**Well Number:** MW-1
Project Location:	1170 Limerick Lane Healdsburg, California	**Casing Diameter:** 2"	**Well Depth from TOC (BP):** **Well Depth from TOC (AP):** 35.50
Date: December 3, 2004		**Top of Screen:**	**Initial Well Depth:**
Sampled by (print and sign): Brian Hasik		**Product Thickness in inches:**	
		Water Level from TOC: 22.72	**Time:** 1:46
Notes:		**Water Level pre-purge:** 22.72	**Time:** 1:56
		Well Type: ☒ Monitor ☐ Extraction ☐ Other:	
		Well EL (TOC):	**Well Mat:** PVC

WEATHER

Wind: Yes / No **Rain:** Yes / No	**Clouds:** Yes / No **Fog:** Yes / No	**Sun:** Yes / No	**Precipitation in last 5 days:** Yes / No

VOLUME OF WATER TO BE REMOVER BEFORE SAMPLING

(_____ - _____) X (_____)2 X 0.0408 = 2.04 gallons in one well volume
TD WL Dia. Inches

6.13 gallons in 3 well volumes (Approx. 0.6 gal/ft) 6.5 total gallons purged

FIELD MEASUREMENTS DURING PURGING

Stable Field Parameters Required Prior to Sample Collection <10% pH and EC change, <0.2°C temp. change

Time	Gallons	pH	TEMP °C	ORP	DO mg/L	EC mS / µS	Turbidity H/M/L
2:02	1	7.67	18.2	90		815.7	L
2:03	2	7.39	18.5	103		810.6	L
2:04	3	7.34	18.6	109		859.0	L
2:05	4	7.34	18.5	112		840.5	L
2:05	5	7.31	18.5	113		825.2	L
2:06	6.5	7.45	18.4	113		842.5	L

Minimum of 5 gallons or 0.6 gal/ft. Of water in casing - whichever is greater and field parameters must be stable.

Water Level Before Sampling: 22.96 **Time:** 2:50

Appearance of Sample:

Bailer: Disposable **Pump:** 12V Submersible (1-2 gpm)

DECON. METHOD: TSP or Liquinox (phosphate free) Wash / Double Rinse

NUMBER OF DRUMS GENERATED: **Water:** 4 **Soil:** 8 **Other:** 0

GROUNDWATER FIELD SAMPLING FORM

WELL INFORMATION

Project Number/Name: 1514.01 Gardner		**Well Number:** MW-2
Project Location: 1170 Limerick Lane Healdsburg, California	**Casing Diameter:** 2"	**Well Depth from TOC (BP):** 35.50 **Well Depth from TOC (AP):**
Date: December 3, 2004	**Top of Screen:**	**Initial Well Depth:**
Sampled by (print and sign): Brian Hasik BRA	**Product Thickness in inches:**	
	Water Level from TOC: 23.70	**Time:** 1:57
Notes:	**Water Level pre-purge:** 23.70	**Time:** 2:15
	Well Type: ☐ Monitor ☐ Extraction ☐ Other:	
	Well EL (TOC):	**Well Mat:** PVC

WEATHER

Wind: Yes / No **Rain:** Yes / No	**Clouds:** Yes / No **Fog:** Yes / No	**Sun:** Yes / No	**Precipitation in last 5 days:** Yes / No

VOLUME OF WATER TO BE REMOVER BEFORE SAMPLING

(_____ - _____) X (_____)2 X 0.0408 = 1.89 gallons in one well volume
TD WL Dia. Inches

5.66 gallons in 3 well volumes (Approx. 0.6 gal/ft) 6 total gallons purged

FIELD MEASUREMENTS DURING PURGING

Stable Field Parameters Required Prior to Sample Collection <10% pH and EC change, <0.2°C temp. change

Time	Gallons	pH	TEMP °C	ORP	DO mg/L	EC mS / µS	Turbidity H/M/L
2:17	1	7.77	17.8	107		620.4	L
2:18	2	7.58	18.1	110		615.5	L
2:19	3	7.40	18.3	114		628.6	L
2:20	4	7.36	18.3	117		635.3	L
2:21	5	7.36	18.3	118		637.1	L
2:22	6	7.36	18.3	118		646.3	L

Minimum of 5 gallons or 0.6 gal/ft. Of water in casing - whichever is greater and field parameters must be stable.

Water Level Before Sampling: 23.85 **Time:** 3:05

Appearance of Sample:

Bailer: Disposable **Pump:** 12V Submersible (1-2 gpm)

DECON. METHOD: TSP or Liquinox (phosphate free) Wash / Double Rinse

NUMBER OF DRUMS GENERATED: **Water:** 4 **Soil:** 0 **Other:** 0

GROUNDWATER FIELD SAMPLING FORM

WELL INFORMATION

Project Number/Name: 1514.01 Gardner		**Well Number:** MW-3
Project Location: 1170 Limerick Lane Healdsburg, California	**Casing Diameter:** 2"	**Well Depth from TOC (BP):** 35.50 **Well Depth from TOC (AP):**
Date: December 3, 2004	**Top of Screen:**	**Initial Well Depth:**
Sampled by (print and sign): Brian Hasik BH	**Product Thickness in inches:**	
	Water Level from TOC: 25.36	**Time:** 1:53
Notes:	**Water Level pre-purge:** 25.37	**Time:** 2:32
	Well Type: ☑ Monitor ☐ Extraction ☐ Other:	
	Well EL (TOC):	**Well Mat:** PVC

WEATHER

Wind: Yes / No **Rain:** Yes / No	**Clouds:** Yes / No **Fog:** Yes / No	**Sun:** Yes / No	**Precipitation in last 5 days:** Yes / No

VOLUME OF WATER TO BE REMOVER BEFORE SAMPLING

(_____ - _____) X (_____)2 X 0.0408 = 1.62 gallons in one well volume
TD WL Dia. Inches

4.87 gallons in 3 well volumes (Approx. 0.6 gal/ft) 5 total gallons purged

FIELD MEASUREMENTS DURING PURGING

Stable Field Parameters Required Prior to Sample Collection <10% pH and EC change, <0.2°C temp. change

Time	Gallons	pH	TEMP °C	ORP	DO mg/L	EC mS / µS	Turbidity H/M/L
2:34	1	7.55	17.9	121		796.1	L
2:35	2	7.38	18.5	124		760.1	L
2:36	3	7.30	18.6	127		746.1	L
2:37	4	7.25	18.5	120		725.1	L
2:38	5	7.25	18.4	130		727.8	L

Minimum of 5 gallons or 0.6 gal/ft. Of water in casing - whichever is greater and field parameters must be stable.

Water Level Before Sampling: 25.62 **Time:** 3:20

Appearance of Sample:

Bailer: Disposable **Pump:** 12V Submersible (1-2 gpm)

DECON. METHOD: TSP or Liquinox (phosphate free) Wash / Double Rinse

NUMBER OF DRUMS GENERATED: **Water:** 4 **Soil:** 4 **Other:** 0

APPENDIX B

1514.01

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

20 December 2004

Charles Gardner
Attn: Pat Lamb
1170 Limerick Ln
Healdsburg, CA 95448
RE: 1170 Limerick Ln
Work Order: A412136

Enclosed are the results of analyses for samples received by the laboratory on 12/06/04 14:15. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Charles Gardner
1170 Limerick Ln
Healdsburg, CA 95448
Attn: Pat Lamb

Report Date: 12/20/04 08:45
Project No: 1514.01
Project ID: 1170 Limerick Ln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A412136	12/06/2004 14:15	TTCGARD	

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	A412136-01	Water	12/03/04 14:50	12/06/04 14:15
MW-2	A412136-02	Water	12/03/04 15:05	12/06/04 14:15
MW-3	A412136-03	Water	12/03/04 15:20	12/06/04 14:15

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

12/20/04

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Charles Gardner
1170 Limerick Ln
Healdsburg, CA 95448
Attn: Pat Lamb

Report Date: 12/20/04 08:45
Project No: 1514.01
Project ID: 1170 Limerick Ln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A412136	12/06/2004 14:15	TTCGARD	

Alpha Analytical Laboratories, Inc.

	METHOD	BATCH	PREPARED	ANALYZED	DILUTION	RESULT		POL	NOTE
MW-1 (A412136-01)			**Sample Type: Water**			**Sampled: 12/03/04 14:50**			
Conventional Chemistry Parameters by APHA/EPA Methods									
Oil & Grease (HEM)	EPA 1664	AL41513	12/15/04	12/16/04	1	ND mg/l		5.0	
TPH as Diesel and Motor Oil by EPA Method 8015 Modified									
TPH as Diesel	8015DRO	AL41519	12/15/04	12/15/04	1	ND ug/l		50	
TPH as Motor Oil	"	"	"	"	"	ND "		100	
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		*59.7 %*	*20-152*		
MW-2 (A412136-02)			**Sample Type: Water**			**Sampled: 12/03/04 15:05**			
Conventional Chemistry Parameters by APHA/EPA Methods									
Oil & Grease (HEM)	EPA 1664	AL41513	12/15/04	12/16/04	1	ND mg/l		5.0	
TPH as Diesel and Motor Oil by EPA Method 8015 Modified									
TPH as Diesel	8015DRO	AL41519	12/15/04	12/15/04	1	ND ug/l		50	
TPH as Motor Oil	"	"	"	"	"	ND "		100	
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		*47.3 %*	*20-152*		
MW-3 (A412136-03)			**Sample Type: Water**			**Sampled: 12/03/04 15:20**			
Conventional Chemistry Parameters by APHA/EPA Methods									
Oil & Grease (HEM)	EPA 1664	AL41513	12/15/04	12/16/04	1	ND mg/l		5.0	
TPH as Diesel and Motor Oil by EPA Method 8015 Modified									
TPH as Diesel	8015DRO	AL41519	12/15/04	12/15/04	1	ND ug/l		50	
TPH as Motor Oil	"	"	"	"	"	ND "		100	
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		*46.5 %*	*20-152*		

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

12/20/04

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Charles Gardner
1170 Limerick Ln
Healdsburg, CA 95448
Attn: Pat Lamb

Report Date: 12/20/04 08:45
Project No: 1514.01
Project ID: 1170 Limerick Ln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A412136	12/06/2004 14:15	TTCGARD	

Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AL41513 - General Preparation										
Blank (AL41513-BLK1)				Prepared: 12/15/04 Analyzed: 12/16/04						
Oil & Grease (HEM)	ND	5.0	mg/l							
LCS (AL41513-BS1)				Prepared: 12/15/04 Analyzed: 12/16/04						
Oil & Grease (HEM)	18.9	5.0	mg/l	20.0		94.5	78-114			
LCS Dup (AL41513-BSD1)				Prepared: 12/15/04 Analyzed: 12/16/04						
Oil & Grease (HEM)	18.4	5.0	mg/l	20.0		92.0	78-114	2.68	18	
Matrix Spike (AL41513-MS1)		**Source: A412165-01**		Prepared: 12/15/04 Analyzed: 12/16/04						
Oil & Grease (HEM)	10.6	5.0	mg/l	12.0	ND	88.3	78-114			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

12/20/04

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Charles Gardner
1170 Limerick Ln
Healdsburg, CA 95448
Attn: Pat Lamb

Report Date: 12/20/04 08:45
Project No: 1514.01
Project ID: 1170 Limerick Ln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A412136	12/06/2004 14:15	TTCGARD	

TPH as Diesel and Motor Oil by EPA Method 8015 Modified - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AL41519 - EPA 3510B Water										
Blank (AL41519-BLK1)				Prepared & Analyzed: 12/15/04						
TPH as Diesel	ND	50	ug/l							
TPH as Motor Oil	ND	100	"							
Surrogate: 1,4-Bromofluorobenzene	*336*		"	*735*		*45.7*	*20-152*			
LCS (AL41519-BS1)				Prepared & Analyzed: 12/15/04						
TPH as Diesel	1720	50	ug/l	1960		87.8	57-136			
TPH as Motor Oil	1930	100	"	1990		97.0	58-138			
Surrogate: 1,4-Bromofluorobenzene	*433*		"	*735*		*58.9*	*20-152*			
LCS Dup (AL41519-BSD1)				Prepared & Analyzed: 12/15/04						
TPH as Diesel	1650	50	ug/l	1960		84.2	57-136	4.15	25	
TPH as Motor Oil	1870	100	"	1990		94.0	58-138	3.16	25	
Surrogate: 1,4-Bromofluorobenzene	*406*		"	*735*		*55.2*	*20-152*			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

12/20/04

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Charles Gardner
1170 Limerick Ln
Healdsburg, CA 95448
Attn: Pat Lamb

Report Date: 12/20/04 08:45
Project No: 1514.01
Project ID: 1170 Limerick Ln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A412136	12/06/2004 14:15	TTCGARD	

Notes and Definitions

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
PQL	Practical Quantitation Limit

34

WORK ORDER
CHAIN OF CUSTODY RECORD

Alpha Analytical Laboratories Inc. • 208 Mason Street, Ukiah, CA 95482 • (707) 468-0401 • FAX (707) 468-5267

DATE 12/3/04 PAGE 1 OF 1

CLIENT'S NAME: Charles Gardner
PROJECT MANAGER: Lee Hurvitz
STREET ADDRESS: 1170 Limerick Ln. CITY: Hldsbrg STATE: CA ZIP:
PHONE NUMBER: 575-8622
PROJECT NAME: Gardner
FAX NUMBER:
CONTRACT/PURCHASE ORDER/QUOTE NUMBER: 1514.01
SITE CONTACT:
SIGNATURE OF PERSON AUTHORIZING WORK UNDER TERMS STATED ON REVERSE SIDE OF THIS FORM: [signature]
SAMPLED BY: Brian Hasik

ANALYSES: TPH - diesel; TPH - motor oil; Total Oil/grease

SAMPLE CONDITION ON RECEIPT:
COLD/ICED? ______
BUBBLES OR AIR SPACE? ______
WERE SAMPLES PRESERVED? ______

SAMPLE NUMBER/IDENTIFICATION	DATE	TIME	LAB SAMPLE NUMBER	LIQ	AIR	SOLID	COMP	GRAB	NO. OF CONTS.	TPH - diesel	TPH - motor oil	Total Oil/grease				EXPLAIN IRREGULARITIES BELOW
MW-1	12/3/04	2:50	AU12136-01	X				X	3	X	X	X				
MW-2	12/3	3:05	2	X				X	3	X	X	X				
MW-3	12/3	3:20	3	X				X	3	X	X	X				

RELINQUISHED BY: (SIGNATURE) [signature]	RECEIVED BY: (SIGNATURE) [signature]	DATE 12/6/04	TIME 0923
RELINQUISHED BY: (SIGNATURE) [signature] 12/15	RECEIVED BY: (SIGNATURE) [signature]	DATE 12/6/04	TIME 14:15
RELINQUISHED BY: (SIGNATURE)	RECEIVED FOR LABORATORY BY:	SAMPLE CONTROL OFFICER	
METHOD OF SHIPMENT	AUTHORIZED BY:		

TURN AROUND TIME REQUESTED

SPECIAL INSTRUCTIONS

DRIVING TIME	SITE TIME	TOTAL TIME

SAMPLE DESPOSITION:
1. STORAGE TIME REQUESTED ______ DAYS (SAMPLES WILL BE STORED FOR 30 DAYS WITHOUT ADDITIONAL CHARGES: THEREAFTER STORAGE CHARGES WILL BE BILLED AT THE PUBLISHED RATES.)
2. SAMPLE TO BE RETURNED TO CLIENT? ☐ YES ☐ NO

HAZARDOUS MATERIALS ARE THE PROPERTY OF THE CLIENT. THE CLIENT IS RESPONSIBLE FOR PROPER DISPOSAL OF HAZARDOUS WASTES. CLIENTS NOT PICKING UP HAZARDOUS WASTES MAY BE ASSESSED AN APPROPRIATE FEE.

DISTRIBUTION LIST
4th Quarter 2004 Monitoring Report
1170 Limerick Lane
Healdsburg, California
January 7, 2005
Job No. 1514.01

Mr. Cliff Ives
Sonoma County Department of Health Services
Environmental Health Division
3273 Airway Drive, Suite D
Santa Rosa, California 95403-2097